## **In the Claims**

Please amend the claims as follows. Applicant has included herewith a complete claim set with insertions and deletions indicated by underlining and strikethrough (or double bracketing), respectively.

- 1. (Currently amended) A polymeric film therapeutic vehicle adapted for application to and subsequent removal from a wound bed of an acute or chronic cutaneous wound wounds wherein said film vehicle has integral therewith, or applied thereto, a cell culture surface obtainable by plasma polymerisation and containing a carboxylic acid functionality of at least 5%, to which at least one keratinocyte is attached, characterised in that said at least one keratinocyte is capable of detachment from said culture surface and transfer to an acute or chronic cutaneous wound, upon contact with a wound bed upon contact therewith.
- 2. (Currently amended) A <u>polymeric film</u> vehicle according to claim 1, wherein said surface acid functionality is between 5-20%.
- 3. (Currently amended) A <u>polymeric film</u> vehicle according to claim 1, wherein said surface acid functionality is greater than 20%.
- 4. (Canceled)
- 5. (Currently amended) A <u>polymeric film</u> vehicle according to claim 1, wherein said carboxylic acid functionality is provided by propionic acid.
- 6. (Currently amended) A <u>polymeric film</u> vehicle according to claim 1, wherein said carboxylic acid functionality is provided by acrylic acid.
- 7. (Currently amended) A <u>polymeric film</u> vehicle according to claim 1, wherein said surface is provided by coating a substrate with a plasma co-polymer of a carboxylic acid containing monomer.

- 8. (Currently amended) A <u>polymeric film</u> vehicle according to claim 7, wherein said copolymer is a mixture of acrylic acid and a hydrocarbon.
- 9. (Currently amended) A <u>polymeric film</u> <del>vehicle</del> according to claim 8, wherein said hydrocarbon is 1,7-octadiene.
- 10. (Currently amended) A <u>polymeric film vehicle</u> according to claim 9, wherein acrylic acid is provided at 50-100% and 1,7-octadiene is provided at 0-50% in the gas feed.
- 11. (Canceled)
- 12. (Currently amended) A <u>polymeric film</u> vehicle according to claim 1 [[11]] wherein said at least one keratinocyte is mammalian cells are human.
- 13.-14. (Canceled)
- 15. (Currently amended) A <u>polymeric film</u> vehicle according to claim 1, wherein said <u>polymeric film</u> vehicle comprises matrix material.
- 16-24. (Canceled)
- 25. (Currently amended) A method for the treatment of cutaneous wounds, comprising using a polymeric film therapeutic vehicle according to claim 1.
- 26. (Original) A method according to claim 25, wherein said plasma is created using a plasma power of 0-50W and a flow rate of 0-20sccm under continuous wave conditions.
- 27. (Original) A method according to claim 25, wherein said plasma is created using pulsed wave conditions.

- 28. (Currently amended) A method for the treatment of acute or chronic cutaneous wounds, comprising using a <u>polymeric film</u> therapeutic vehicle according to claim 8, wherein said acid is acrylic acid and said hydrocarbon is 1,7-octadiene.
- 29. (Original) A method according to claim 28, wherein said plasma comprises 50-100% acrylic acid and 0-50% 1,7-octadiene in the gas feed.
- 30. (Previously presented) A method according to claim 29, wherein said plasma comprises the following percentages of acrylic acid and 1,7-octadiene:

acrylic acid %	1,7-octadiene %
50	50
60	40
70	30
80	20
90	10
100	0

31. (Previously presented) A method according to claim 29, wherein said plasma comprises the following percentages of acid and hydrocarbon:

acid %	hydrocarbon %
50	50
60	40
70	30
80	20
90	10
100	0

32. (Canceled)